
Catalog #: PHH2471



Summary

Name	GIPR (Arg22-Gln138)
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/µg as determined by LAL test.
Construction	Recombinant Human Gastric inhibitory polypeptide receptor is produced by our Mammalian expression system and the target gene encoding Arg22- Gln138 is expressed with a human IgG1 Fc tag at the C-terminus.
Accession #	P48546
Host	Human Cells
Species	Human
Predicted Molecular Mass	40.3 kDa
Formulation	Supplied as a 0.2 μ m filtered solution of PBS, pH7.4.
Shipping	The product is shipped on dry ice/polar packs. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	

SDS-PAGE image



Background

Alternative Names	Gastric inhibitory polypeptide receptor; GIP-R; Glucose-dependent insulinotropic polypeptide receptor; GIPR
Background	GIP receptor (GIPR) belongs to the G-protein coupled receptor family, activating



Product Name: Recombinant Human GIPR N-ECD (C-Fc) Conciliate

adenylate cyclase and increasing levels of intracellular cyclic adenosine monophosphate (cAMP) in pancreatic b cells, thereby stimulating insulin section glucosedependently. New discoveries of GIP receptor (GIPR) biology in adipose tissue, as well as findings that co-agonists for the glucagon-like peptide-1 receptor (GLP-1R) and GIPR induce greater weight loss than that seen with GLP-1R agonists alone, has led to continued interest in manipulating GIPR activity for the treatment of obesity/type 2 diabetes mellitus (T2DM).

Note For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838