


Summary

Name	MRC2_HUMAN
Purity	Greater than 85% as determined by reducing SDS-PAGE
Endotoxin level	Please contact with the lab for this information
Tag	N-MBP & C-His
Accession #	Q9UBG0
Host	HEK293
Species	Human
Molecular Mass	96 kDa
Buffer	Phosphate buffered saline
Shipping	The product is shipped on dry ice/polar packs. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at $\leq -70^{\circ}\text{C}$, stable for 6 months after receipt. Store at $\leq -70^{\circ}\text{C}$, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Sequence	PNVFLIFSHG LQGCLEAQQG QVRVTPACNT SLPAQRWKWV SRNRLFNLGT MQCLGTGWPG TTTASLGM Y ECDREALNLR WHCRTLGDQL SLLLGARTSN ISKPGTLERG DQTRSGQWRI YGSEEDLCAL PYHEVYTIQG NSHGKPTIP FKYDNQWFHG CTSTGREDGH LWCATTQDYG KDERWGFCEPI KSNDCEFTWD KDQLTDSCYQ FNFQSTLSWR EAWASCEQQG ADLLSITEIH EQTYINGLLT GYSSTLWIGL NDLDTSGGWQ WSDNSPLKYL NWESDQPDNP SEENCGVIRT ESSGGWQNRD CSIALPYVCK KKPNTAEPT PPDRWANVKV ECEPSWQPFQ GHCYRLQAEK RSWQESKKAC LRGGDLVSI HSMAEFIT KQIKQEVEEL WIGLNDLKLQ MNFEWSDGSL VSFTHWHPFE PNNFRDSLED CVTIWGPPEGR WNDSPCNQSL PSICKKAGQL

image



Background

Product Name: Recombinant Human MRC2 Protein
Catalog #: PHH6154



Alternative Names

C-type mannose receptor 2 (C-type lectin domain family 13 member E) (Endocytic receptor 180) (Macrophage mannose receptor 2) (Urokinase-type plasminogen activator receptor-associated protein) (UPAR-associated protein) (Urokinase receptor-associated protein) (CD antigen CD280)

Note

For Research Use Only , Not for Diagnostic Use