## **Product Name: Recombinant Mouse CDH3 (C-Fc)**

Catalog #: PHM0194



## **Summary**

Name Cadherin-3/P-Cadherin/CDH3

**Purity** Greater than 95% as determined by reducing SDS-PAGE

**Endotoxin level** <1 EU/μg as determined by LAL test.

Construction Recombinant Mouse Cadherin-3 is produced by our Mammalian expression

system and the target gene encoding Glu100-Gly647 is expressed with a

human IgG1 Fc tag at the C-terminus.

Accession # P10287

**Host** Human Cells

**Species** Mouse

Predicted Molecular Mass 87.5 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

**Stability&Storage** Store at  $\leq$ -70°C, stable for 6 months after receipt. Store at  $\leq$ -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

**Reconstitution** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## **SDS-PAGE** image



## **Background**

# Product Name: Recombinant Mouse CDH3 (C-Fc) Catalog #: PHM0194



Alternative Names Cadherin-3; Placental cadherin; P-cadherin; Cdh3

**Background** Cadherin-3 (CDH3) is a single-pass type I membrane protein that belongs to the

cadherin superfamily. CDH3 is a calcium-dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a transmembrane region, and a highly conserved cytoplasmic tail. CDH3 is expressed in some normal epithelial tissues and in some carcinoma cell lines. CDH3 preferentially interacts with themselves in a homophilic manner in connecting cells. CDH3 is involved in loss of heterozygosity events in breast and prostate cancer. Mutations in CDH3 have been

associated with congential hypotrichosis with juvenile macular dystrophy.

#### Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838