## **Product Name: Recombinant Mouse FLT3LG (C-Fc)**

Catalog #: PHM0678



## **Summary**

Name Flt3L/Flt3-Ligand/Fms-related tyrosine kinase 3 ligand

**Purity** Greater than 95% as determined by reducing SDS-PAGE

**Endotoxin level** <1 EU/μg as determined by LAL test.

Construction Recombinant Mouse Fms-like Tyrosine Kinase 3 Ligand is produced by our

Mammalian expression system and the target gene encoding Gly27-Arg188 is

expressed with a human IgG1 Fc tag at the C-terminus.

Accession # P49772

**Host** Human Cells

**Species** Mouse

Predicted Molecular Mass 45.5 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

**Stability&Storage** Lyophilized protein should be stored at  $\leq$  -20°C, stable for one year after receipt.


Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at  $\leq$  -20°C for 3 months.

**Reconstitution** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## **SDS-PAGE** image



## **Background**

# Product Name: Recombinant Mouse FLT3LG (C-Fc) Catalog #: PHM0678



Alternative Names Fms-related tyrosine kinase 3 ligand (Flt3L); SL cytokine; Flt3 ligand

**Background** Fms-related tyrosine kinase 3 ligand(Flt3L) is a single-pass type I membrane

protein and consists of 232 amino acids. Flt3L is a hematopoietic four helical bundle cytokine, structurally homologous to stem cell factor and colony stimulating factor. Flt3L synergizes well with a number of other colony stimulating factors and interleukins. Flt3L stimulates the proliferation and differentiation of

various blood cell progentiors by activating FLT3.

#### Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838