


Summary

Name	Renin/Angiotensinogenase/angiotensin-forming enzyme
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/μg as determined by LAL test.
Construction	Recombinant Mouse Renin is produced by our Mammalian expression system and the target gene encoding Leu22-Arg402 is expressed with a 10His tag at the C-terminus.
Accession #	P06281
Host	Human Cells
Species	Mouse
Predicted Molecular Mass	43.5 KDa
Formulation	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Mouse Renin (C-10His)
Catalog #: PHM1425



Alternative Names

Renin-1; Angiotensinogenase; Kidney renin; Ren1; Ren; Ren-1

Background

Mouse Renin, also known as Renin-1, is a member of the peptidase A1 family. Renin is synthesized by the juxtaglomerular cells of the kidney in response to decreased blood pressure and sodium concentration. It cleaves angiotensinogen to generate angiotensin I, which can be further converted by angiotensin converting enzyme (ACE) to angiotensin II. Angiotensin II is the active molecule of the renin-angiotensin system that acts by binding to angiotensin receptors type 1 and 2 (AT1 and AT2), and has direct pathophysiological effects on the heart and peripheral vasculature. After secretion, inactive prorenin can be proteolytically activated by trypsin, cathepsin B, or other proteinases.

Note

For Research Use Only , Not for Diagnostic Use.