Summary

Name Serpin E2/PN1

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Mouse Glia-derived Nexin is produced by our Mammalian

expression system and the target gene encoding Ser20-Pro397 is expressed

with a 10His tag at the C-terminus.

Accession # Q07235

Host Human Cells

Species Mouse

Predicted Molecular Mass 43.2 KDa

Formulation Supplied as a 0.2 µm filtered solution of 20mM Sodium Acetate, 150 mM NaCl, 5%

Trehalose, 5% Mannitol, 0.02% Tween 80, 1mM EDTA, pH 4.0.

Shipping The product is shipped on dry ice/polar packs. Upon receipt, store it immediately

at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw


cycles.

Reconstitution

SDS-PAGE image

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Alternative Names

Glia-derived nexin; GDN; Peptidase inhibitor 7; PI-7; Protease nexin 1; PN-1; Protease nexin I; Serine protease-inhibitor 4; Serpin E2; Pi7; Pn1; Spi4

Background

Serpin E2 is a member of the Serpin superfamily. It is differentially expressed during neuronal differentiation and is able to transform human embryonic kidney cells into neuronlike cells. Its over-expression in mice leads to progressive neuronal and motor dysfunction in these animals. It is also over-expressed in the majority of pancreatic carcinoma as well as gastric and colorectal cancer samples whereas it is weakly expressed in all normal pancreas and chronic pancreatitis tissue samples. Serpin E2 is a potent inhibitor of thrombin, trypsin, urokinase, plasmin and plasminogen activators. It plays an important role in controlling male fertility because its knockout male mice show a marked impairment in fertility from the onset of sexual maturity and its abnormal expression is found in the semen of men with seminal dysfunction.

Note

For Research Use Only, Not for Diagnostic Use.