


Product Name: Recombinant Mouse VEGF-D (C-6His)
Catalog #: PHM1811



Summary

Name	VEGFD/FIGF/Vascular endothelial growth factor D
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/μg as determined by LAL test.
Construction	Recombinant Mouse Vascular Endothelial Growth Factor D is produced by our Mammalian expression system and the target gene encoding Phe98-Ser206 is expressed with a 6His tag at the C-terminus.
Accession #	P97946
Host	Human Cells
Species	Mouse
Predicted Molecular Mass	13.1 KDa
Formulation	Lyophilized from a 0.2 μm filtered solution of 20mM Tris-HCl, 10% Sucrose, 6% Mannitol, 0.1% Tween80, 1mM EDTA, pH 8.0.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Mouse VEGF-D (C-6His)
Catalog #: PHM1811



Alternative Names

Vascular endothelial growth factor D; c-Fos-induced growth factor; FIGF; VEGFD

Background

Mouse vascular endothelial growth factor D, (VEGFD) is a member of the platelet-derived growth factor/vascular endothelial growth factor (PDGF/VEGF) family. VEGFD is a secreted protein and highly expressed in fetal and adult lung. It undergoes a complex proteolytic maturation, generating multiple processed forms that bind and activate VEGFR-2 and VEGFR-3 receptors. The structure and function of this protein is similar to VEGFC. VEGFD is growth factor which active in angiogenesis, lymphangiogenesis, and endothelial cell growth, stimulating their proliferation and migration and also has effects on the permeability of blood vessels.

Note

For Research Use Only , Not for Diagnostic Use.