## **Product Name: Recombinant Mouse CFH (C-6His)**

Catalog #: PHM1925



## **Summary**

Name Complement Factor H/CFH/beta-1-H-globulin

**Purity** Greater than 95% as determined by reducing SDS-PAGE

**Endotoxin level** <1 EU/μg as determined by LAL test.

Construction Recombinant Mouse Complement Factor H is produced by our Mammalian

expression system and the target gene encoding Ser875/xadVal1252 is

expressed with a 6His tag at the C-terminus.

Accession # E9Q8I0

**Host** Human Cells

**Species** Mouse

Predicted Molecular Mass 43.4 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

**Stability&Storage** Store at  $\leq$ -70°C, stable for 6 months after receipt. Store at  $\leq$ -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

**Reconstitution** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## **SDS-PAGE** image



## **Background**

# Product Name: Recombinant Mouse CFH (C-6His) Catalog #: PHM1925

**C** EnkiLife

Alternative Names Complement factor H; Protein beta-1-H; CFH

**Background** Complement factor H(CFH) is a 155 kDa glycoprotein that functions as a cofactor

in the inactivation of C3b by factor I. It also increases the rate of dissociation of the C3bBb complex (C3 convertase) and the (C3b)NBB complex (C5 convertase) in the alternative complement pathway. CFH expressed by the liver and secreted in plasma. This recombinant protein corresponds to SCR15-20 which encompass the primary binding sites for heparin and C3b as well as for the peptide hormone adrenomedullin. Within SCR15-20, mouse Factor H shares 60% and 80% amino acid sequence identity with human and rat Factor H, respectively. Dozens of mutations clustered in SCR15-20 are associated with atypical hemolytic uremic syndrome, a disorder characterized by anemia, thrombocytopenia, and renal

failure.

#### Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838