# Product Name: Recombinant Mouse SECTM1A (C-6His) Enkilife Catalog #: PHM2179

### **Summary**

Name SECTM1A

**Purity** Greater than 95% as determined by reducing SDS-PAGE

**Endotoxin level** <1 EU/μg as determined by LAL test.

Construction Recombinant Mouse Secreted And Transmembrane Protein 1A is produced

by our Mammalian expression system and the target gene encoding

Gln28/xadThr165 is expressed with a 6His tag at the C-terminus.

Accession # A2ABP9

**Host** Human Cells

**Species** Mouse

Predicted Molecular Mass 16.2 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

**Stability&Storage** Store at  $\leq$ -70°C, stable for 6 months after receipt. Store at  $\leq$ -70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw


cycles.

**Reconstitution** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## SDS-PAGE image





### **Alternative Names**

SECTM1A; Sectm1a

# **Background**

SECTM1A (secreted and transmembrane 1A), is 192 amino acid (aa) protein, appears to share structural and functional characteristics with other SECTM1 proteins. Human SECTM1 can be found either found as an approximately 27 kDa intracellular type I transmembrane protein that shows a perinuclear, Golgi like staining pattern, or as a 20 kDa soluble, secreted form, and is produced by some myeloid cells and by thymic epithelia and fibroblasts. Stimulation with IFN gamma is often necessary to detect human SECTM1 expression, and it is thought to be an interferon early response gene. Mouse SECTM1A cDNA encodes a signal sequence, an extracellular domain with four potential N linked glycosylation sites, a transmembrane sequence, and a very short (approximately 6 aa) cytoplasmic sequence. SECTM1 proteins from human and mouse show species specific binding of CD7 and co stimulation of T cells, including enhancement of CD3 induced proliferation.

### Note

For Research Use Only, Not for Diagnostic Use.