# Product Name: Recombinant HIV gp120 (C-8His)

Catalog #: PHV1416



#### **Summary**

Name Recombinant HIV gp120

**Purity** Greater than 95% as determined by reducing SDS-PAGE

**Endotoxin level** <1 EU/μg as determined by LAL test.

Construction Recombinant HIV 1 Envelope Glycoprotein Gp120 is produced by our

Mammalian expression system and the target gene encoding Met1-Glu498 is

expressed with a 8His tag at the C-terminus.

Accession # Q9DKG6

**Host** Human Cells

Species HIV

Predicted Molecular Mass 57 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

**Stability&Storage** Store at  $\leq$ -70°C, stable for 6 months after receipt. Store at  $\leq$ -70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is


not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

### **SDS-PAGE** image

## **Product Name: Recombinant HIV gp120 (C-8His)**

Catalog #: PHV1416





### **Alternative Names**

Envelope glycoprotein gp120; Glycoprotein 120; Surface protein gp120

### **Background**

Envelope glycoprotein gp160 is single-pass type I membrane protein. The mature envelope protein (Env) consists of a homotrimer of non-covalently associated gp120-gp41 heterodimers. It is cleaved into the following 2 chains: glycoprotein 120 and transmembrane protein gp41. The resulting complex protrudes from the virus surface as a spike. The 17 amino acids long immunosuppressive region is present in many retroviral envelope proteins. Synthetic peptides derived from this relatively conserved sequence inhibit immune function in vitro and in vivo.

#### Note

For Research Use Only, Not for Diagnostic Use.