Monoclonal Antibody Catalog #: AMM00728



### **Summary**

**Production Name** Progesterone Receptor (8H3) Mouse Monoclonal Antibody

**Description** Mouse Monoclonal Antibody

**Host** Mouse

**Application** IHC-F,IHC-P,ICC/IF **Reactivity** Human,Mouse,Rat

### **Performance**

ConjugationUnconjugatedModificationUnmodified

Isotype IgG1

Clonality Monoclonal

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw  $\bf Storage$ 

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

**Purification** Affinity Purification

#### **Immunogen**

Gene Name PGR

PGR; NR3C3; Progesterone receptor; PR; Nuclear receptor subfamily 3 group C member

Alternative Names

3

 Gene ID
 5241

 SwissProt ID
 P06401.

## **Application**

**Dilution Ratio** IHC: 1:50-1:100 IF: 1:50-1:200

Molecular Weight -

Monoclonal Antibody Catalog #: AMM00728




### **Background**

Progesterone plays a central role in the reproductive events associated with the establishment and maintenance of pregnancy. Progesterone receptor, a member of the steroid receptor superfamily, mediates the physiologic effects of progesterone.


#### **Research Area**

**Epigenetics and Nuclear Signaling** 

### **Image Data**



Immunohistochemistry analysis of paraffin-embedded Human uterus tissue using Progesterone Receptor (8H3) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.




Immunohistochemical analysis of paraffin-embedded Human tonsils using Progesterone Receptor (8H3) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Monoclonal Antibody Catalog #: AMM00728






Immunohistochemistry analysis of paraffin-embedded mouse testis tissue using PR antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunofluorescence analysis of Progesterone Receptor (8H3) in Human appendix tissue using Progesterone Receptor (8H3)




Immunofluorescence analysis of Progesterone Receptor (8H3) in mouse liver using PR antibody(Z15)(red), and DAPI (blue).

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Monoclonal Antibody Catalog #: AMM00728





Immunofluorescence analysis of Progesterone Receptor in rat heart using Progesterone Receptor (8H3) antibody(red), and DAPI (blue).

#### Note

For research use only.