

**Product Name: CRTC1 Mouse Monoclonal Antibody**  
**Catalog #: AMM03451**



## Summary

<b>Production Name</b>	CRTC1 Mouse Monoclonal Antibody
<b>Description</b>	Mouse Monoclonal Antibody
<b>Host</b>	Mouse
<b>Application</b>	WB, ICC/IF, FC, IP
<b>Reactivity</b>	Human

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG2b
<b>Clonality</b>	Monoclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
<b>Purification</b>	Affinity Purification

## Immunogen

<b>Gene Name</b>	CRTC1
<b>Alternative Names</b>	MECT1; TORC1; WAMTP1; FLJ14027; KIAA0616; CRTC1
<b>Gene ID</b>	23373
<b>SwissProt ID</b>	Q6UUV9.

## Application

<b>Dilution Ratio</b>	WB: 1:500-1:1000 IF: 1:50-1:200 IP: 1:20 FC: 1:50-1:100
<b>Molecular Weight</b>	Calculated MW: 67 kDa; Observed MW: 78 kDa

## Background

MECT1 (also known as MucoEpidermoid Carcinoma Translocated 1) functions as a transcriptional coactivator for CREB1,

**Product Name: CRTC1 Mouse Monoclonal Antibody**  
**Catalog #: AMM03451**




which activates transcription through both consensus and variant cAMP response element (CRE) sites. MECT1 does not appear to modulate CREB1 DNA-binding activity but enhances the interaction of CREB1 with TAF4/TAFII-130. MECT1 translocates with MAML2 (MasterMind-Like Protein 2) to yield a fusion oncogene: t(11;19) (q21;p13). This translocation occurs in mucoepidermoid carcinomas, benign Warthin tumors and clear cell hidradenomas. The novel fusion product that results disrupts the Notch signaling pathway. The fusion protein consists of the N-terminus of MECT1 joined to the C-terminus of MAML2. The reciprocal fusion protein consisting of the N-terminus of MAML2 joined to the C-terminus of MECT1 has been detected in a small number of mucoepidermoid carcinomas. Multiple isoforms have been reported for the MECT1 protein. Tissue specificity: Highly expressed in adult and fetal brain. Located to specific regions such as the prefrontal cortex and cerebellum. Very low expression in other tissues such as heart, spleen, lung, skeletal muscle, salivary gland, ovary and kidney.


## Research Area

Signal Transduction

## Image Data




Western blot analysis of MECT1 / Torc1 in HeLa and Jurkat lysates using MECT1 / Torc1 antibody.




Immunocytochemistry analysis of CRTC1 in HeLa using MECT1 / Torc1 antibody.

**Product Name: CRTC1 Mouse Monoclonal Antibody**  
**Catalog #: AMM03451**

---



Immunoprecipitation analysis of CRTC1 in HeLa cell lysates using MECT1 / Torc1 antibody.



Flow Cytometry analysis of CRTC1 in K562 cells using CRTC1 antibody (red). Blue line histogram represents the isotype control.

## Note

For research use only.