**Antibody** 

Catalog #: AMM03619



## **Summary**

**Production Name** GRP78 BiP (9C7) Mouse Monoclonal Antibody

**Description** Mouse Monoclonal Antibody

HostMouseApplicationWB,IHC-PReactivityHuman,Rat

## **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG1

Clonality Monoclonal

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw  $\bf Storage$ 

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

**Purification** Affinity Purification

### **Immunogen**

Gene Name HSPA5

HSPA5; GRP78; 78 kDa glucose-regulated protein; GRP-78; Endoplasmic reticulum

Alternative Names lumenal Ca(2+)-binding protein grp78; Heat shock 70 kDa protein 5; Immunoglobulin

heavy chain-binding protein; BiP

 Gene ID
 3309

 SwissProt ID
 P11021.

## **Application**

**Dilution Ratio** WB: 1:500-1:1000 IHC: 1:50-1:100

Molecular Weight Calculated MW: 72 kDa; Observed MW: 78 kDa

**Antibody** 

Catalog #: AMM03619




## **Background**

When Chinese hamster K12 cells are starved of glucose, the synthesis of several proteins, called glucose-regulated proteins (GRPs), is markedly increased. Hendershot et al. (1994) (PubMed 8020977) pointed out that one of these, GRP78 (HSPA5), also referred to as 'immunoglobulin heavy chain-binding protein' (BiP), is a member of the heat-shock protein-70 (HSP70) family and is involved in the folding and assembly of proteins in the endoplasmic reticulum (ER).


#### Research Area

Tags & Cell Markers

## **Image Data**



Western blot analysis of GRP78 BiP (9C7)in Hela, rat Liver lysates using GRP78/Bip antibody.




Immunohistochemistry analysis of paraffin-embedded Human Colon Caricnoma using GRP78/Bip antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838


**Antibody** 

Catalog #: AMM03619






Immunohistochemistry analysis of paraffin-embedded Human Breast Caricnoma using GRP78/Bip antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of GRP78 BiP in Jurkat, MCF-7, Hela lysates using GRP78 BiP (9C7) antibody




Immunocytochemistry analysis of GRP78 BiP in HeLa using Bip/GRP78 (9C7) antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

**Antibody** 

Catalog #: AMM03619





Immunoprecipitation analysis of GRP78 BiP in Hela lysates using Bip/GRP78 (9C7) antidody.

#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838