Product Name: HDAC2 (2D9) Mouse Monoclonal

Antibody

Catalog #: AMM03658



Summary

Production Name HDAC2 (2D9) Mouse Monoclonal Antibody

Description Mouse Monoclonal Antibody

Host Mouse
Application WB,ICC/IF

Reactivity Human, Mouse, Rat, Monkey

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG2b

Clonality Monoclonal

Form Liquid

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Purification Affinity Purification

Immunogen

Gene Name HDAC2

Alternative Names HDAC2; Histone deacetylase 2; HD2

 Gene ID
 3066

 SwissProt ID
 Q92769.

Application

Dilution Ratio WB: 1:500-1:1000 IF: 1:50-1:200

Molecular Weight Calculated MW: 55 kDa; Observed MW: 60 kDa

Background

In the intact cell, DNA closely associates with histones and other nuclear proteins to form chromatin. The remodeling of

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: HDAC2 (2D9) Mouse Monoclonal

Antibody

Catalog #: AMM03658




chromatin is believed to be a critical component of transcriptional regulation and a major source of this remodeling is brought about by the acetylation of nucleosomal histones. Acetylation of lysine residues in the amino-terminal tail domain of histone results in an allosteric change in the nucleosomal conformation and an increased accessibility to transcription factors by DNA.

Research Area

Epigenetics and Nuclear Signaling

Image Data



Western blot analysis of HDAC2 in THP-1, SH-SY5Y, K562, COS7, C6, 3T3 and Hela lysates using HDAC2 antibody.

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838