Product Name: Elongation factor 2 Rabbit Monoclonal

Antibody

Catalog #: AMRe02979



Summary

Production Name Elongation factor 2 Rabbit Monoclonal Antibody

Description Rabbit Monoclonal antibody

Host Rabbit

Application WB,IHC-F,IHC-P,ICC/IF,IP

Reactivity Human, Mouse, Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

BSA

Purification Affinity Purification

Immunogen

Gene Name EEF2

Alternative Names EEF2; EF2; Elongation factor 2; EF-2

 Gene ID
 1938

 SwissProt ID
 P13639.

Application

Dilution Ratio WB: 1:500-1:1000 IHC: 1:50-1:100 IF: 1:50-1:200 IP: 1:20

Molecular Weight Calculated MW: 95 kDa; Observed MW: 95 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Elongation factor 2 Rabbit Monoclonal

Antibody

Catalog #: AMRe02979




Background

Catalyzes the GTP-dependent ribosomal translocation step during translation elongation. During this step, the ribosome changes from the pre-translocational (PRE) to the post-translocational (POST) state as the newly formed A-site-bound peptidyl-tRNA and P-site-bound deacylated tRNA move to the P and E sites, respectively.


Research Area

Epigenetics and Nuclear Signaling

Image Data



Immunocytochemistry analysis of Elongation factor 2 (green) in Hela using Elongation factor 2 antibody, and DAPI(blue).




Western blot analysis of EEF2/Elongation factor 2 in 3T3, MEF lysates using EEF2/Elongation factor 2 antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




Antibody

Catalog #: AMRe02979



Western blot analysis of EEF2/Elongation factor 2 in A549, U2OS, C6 lysates using EEF2/Elongation factor 2 antibody



Immunohistochemistry analysis of paraffin-embedded Human breast cancer using EEF2/Elongation factor 2 antibody. Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.