Product Name: MCM2 Rabbit Monoclonal Antibody

Catalog #: AMRe03078



Summary

Production Name MCM2 Rabbit Monoclonal Antibody

Description Rabbit Monoclonal antibody

Host Rabbit

Application WB,IHC-F,IHC-P,ICC/IF,IP

Reactivity Human

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

BSA

Purification Affinity Purification

Immunogen

Gene Name MCM2

MCM2; BM28; CCNL1; CDCL1; KIAA0030; DNA replication licensing factor MCM2; Alternative Names

Minichromosome maintenance protein 2 homolog; Nuclear protein BM28

Gene ID 4171

SwissProt ID P49736.

Application

Dilution Ratio WB: 1:500-1:1000 IHC: 1:50-1:100 IF: 1:50-1:200 IP: 1:20

Molecular Weight Calculated MW: 102 kDa; Observed MW: 125 kDa

Product Name: MCM2 Rabbit Monoclonal Antibody

Catalog #: AMRe03078




Background

The protein encoded by this gene is one of the highly conserved mini-chromosome maintenance proteins (MCM) that are involved in the initiation of eukaryotic genome replication. The hexameric protein complex formed by MCM proteins is a key component of the pre-replication complex (pre_RC) and may be involved in the formation of replication forks and in the recruitment of other DNA replication related proteins. This protein forms a complex with MCM4, 6, and 7, and has been shown to regulate the helicase activity of the complex. This protein is phosphorylated, and thus regulated by, protein kinases CDC2 and CDC7. Multiple alternatively spliced transcript variants have been found, but the full-length nature of some variants has not been defined. [provided by RefSeq, Oct 2012]


Research Area

Epigenetics and Nuclear Signaling

Image Data



Western blot analysis of MCM2 in Hela, A549, HL-60, U2OS lysates using MCM2 antibody.




Immunohistochemistry analysis of paraffin-embedded Human tonsil using MCM2 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: MCM2 Rabbit Monoclonal Antibody

Catalog #: AMRe03078





Immunocytochemistry analysis of MCM2 (green) in hela using MCM2 antibody, and DAPI(blue)

Note

For research use only.