## **Product Name: Ubiquitin K63 Rabbit Monoclonal**

antibody

Catalog #: AMRe03251



### **Summary**

Production Name Ubiquitin K63 Rabbit Monoclonal antibody

Description Recombinant Rabbit Monoclonal antibody

**Host** Rabbit

**Application** WB,IHC-F,IHC-P,ICC/IF

**Reactivity** Human

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

**Clonality** Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw  $\bf Storage$ 

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer** 

BSA

**Purification** Affinity Purified

#### **Immunogen**

Gene Name UBB

Alternative Names FLJ25987; MGC8385; ubiquitin B; Ubiquitin; UBCEP1; UBCEP2; RPS27A

 Gene ID
 7314

 SwissProt ID
 P0CG47.

## **Application**

**Dilution Ratio** WB: 1:500-1:1000 IHC: 1:50-1:100 IF: 1:50-1:200

Molecular Weight Calculated MW: 26 kDa; Observed MW: 8 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

**Product Name: Ubiquitin K63 Rabbit Monoclonal** 

antibody

Catalog #: AMRe03251




#### **Background**

Plays an important role in the ubiquitin-proteasome pathway. Ubiquitin can be covalently linked to many cellular proteins by the ubiquitination process, which targets proteins for degradation by the 26S proteasome. Three components are involved in the target protein-ubiquitin conjugation process. Ubiquitin is first activated by forming a thiolester complex with the activation component E1; the activated ubiquitin is subsequently transferred to the ubiquitin-carrier protein E2, then from E2 to ubiquitin ligase E3 for final delivery to the epsilon-NH2 of the target protein lysine residue.


#### Research Area

Neuroscience

#### **Image Data**



Western blot analysis of Ubiquitin (linkagespecific K63) in Hela, A549 lysates using Ubiquitin K63 antibody.



Immunohistochemistry analysis of paraffin-embedded Human colon cancer using Ubiquitin (linkagespecific K63) antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

# **Product Name: Ubiquitin K63 Rabbit Monoclonal**

antibody

Catalog #: AMRe03251





Immunocytochemistry analysis of Ubiquitin (linkagespecific K63) (green) in hela using Ubiquitin (linkagespecific K63) antibody,and DAPI(blue)

#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838