Product Name: Acetyl-Histone H4 (Lys5) Rabbit

Monoclonal Antibody Catalog #: AMRe03268



Summary

Production Name Acetyl-Histone H4 (Lys5) Rabbit Monoclonal Antibody

Description Rabbit Monoclonal antibody

Host Rabbit

Application WB,IHC-F,IHC-P,ICC/IF,IP

Reactivity Human, Mouse

Performance

ConjugationUnconjugatedModificationAcetylated

Isotype IgG

Clonality Monoclonal

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

BSA

Purification Affinity Purification

Immunogen

Gene Name H4C1

Alternative Names H4K5ac; H4F2; HIST; HIST1H4A; Histone H4.AC-H4K5; H4K5

 Gene ID
 121504

 SwissProt ID
 P62805.

Application

Dilution Ratio WB: 1:500-1:1000 IHC: 1:50-1:100 IF: 1:50-1:200 IP: 1:20

Molecular Weight Calculated MW: 11 kDa; Observed MW: 11 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Acetyl-Histone H4 (Lys5) Rabbit

Monoclonal Antibody Catalog #: AMRe03268




Background

The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H4 family.


Research Area

Epigenetics and Nuclear Signaling

Image Data



Immunocytochemistry analysis of Acetyl-Histone H4 (Lys5) (green) in Hela using Acetyl-Histone H4 (Lys5) antibody, and DAPI(blue).




Western blot analysis of Acetyl-Histone H4 (Lys5) in 3T3 lysates using Acetyl-Histone H4 (Lys5) antibody. Observed band size:11kDa.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838


Product Name: Acetyl-Histone H4 (Lys5) Rabbit

Monoclonal Antibody Catalog #: AMRe03268





Western blot analysis of Acetyl-Histone H4 (Lys5) in A549, HL-60, U2OS, U87-MG lysates using Acetyl-Histone H4 (Lys5)



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using Acetyl-Histone H4 (Lys5) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.