

# Summary

Production Name	ERK1/2 Rabbit Monoclonal antibody
Description	Recombinant Rabbit Monoclonal antibody
Host	Rabbit
Application	WB,ICC/IF,IP
Reactivity	Human, Mouse, Rat

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05%
	BSA
Purification	Affinity Purified

## Immunogen

Gene Name	MAPK3/MAPK1
	MAPK3; ERK1; ERT2; ERK-1; PRKM3; P44ERK1; P44MAPK; HS44KDAP; HUMKER1A; p44-
Alternative Names	ERK1; p44-MAPK; MAPK1; ERK; p38; p40; p41; ERK2; ERT1; ERK-2; MAPK2; PRKM1;
	PRKM2; P42MAPK; p41mapk; p42-MAPK.
Gene ID	5595/5594
SwissProt ID	P27361/P28482.

# Application

Dilution Ratio	WB: 1:500-1:1000 IF: 1:50-1:200 IP: 1:20
Molecular Weight	Calculated MW: 44,42 kDa; Observed MW: 44,42 kDa




## Background

Serine/threonine kinase which acts as an essential component of the MAP kinase signal transduction pathway. MAPK1/ERK2 and MAPK3/ERK1 are the 2 MAPKs which play an important role in the MAPK/ERK cascade. They participate also in a signaling cascade initiated by activated KIT and KITLG/SCF. Depending on the cellular context, the MAPK/ERK cascade mediates diverse biological functions such as cell growth, adhesion, survival and differentiation through the regulation of transcription, translation, cytoskeletal rearrangements.


### **Research Area**

Cell Biology

### **Image Data**



Immunocytochemistry analysis of ERK1/2 (green) in K562 using ERK1/2 antibody, and DAPI(blue).



Western blot analysis of p42 MAPK (ERK2) in K562, rat Brain, C6, 3T3, Hela lysates using p42 MAPK (ERK2) antibody.

#### Note

For research use only.