Product Name: MEK1/2 Rabbit Monoclonal antibody

Catalog #: AMRe03784



Summary

Production Name MEK1/2 Rabbit Monoclonal antibody

Description Recombinant Rabbit Monoclonal antibody

Host Rabbit

Application WB,IHC-F,IHC-P,ICC/IF,IP

Reactivity Human, Mouse, Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

BSA

Purification Affinity Purified

Immunogen

Gene Name MAP2K1/MAP2K2

MAP2K1; MEK1; PRKMK1; Dual specificity mitogen-activated protein kinase kinase 1;

Alternative Names MAP kinase kinase 1; MAPKK 1; MKK1; ERK activator kinase 1; MAPK/ERK kinase 1; MEK

1; MAP2K2; MEK2; MKK2; PRKMK2; Dual specificity mitogen-activated protein k

Gene ID 5604/5605

SwissProt ID Q02750/P36507.

Application

Dilution Ratio WB: 1:500-1:1000 IHC: 1:50-1:100 IF: 1:50-1:200 IP: 1:20

Molecular Weight Calculated MW: 43,44 kDa; Observed MW: 43,44 kDa

Product Name: MEK1/2 Rabbit Monoclonal antibody

Catalog #: AMRe03784




Background

Dual specificity protein kinase which acts as an essential component of the MAP kinase signal transduction pathway. Binding of extracellular ligands such as growth factors, cytokines and hormones to their cell-surface receptors activates RAS and this initiates RAF1 activation. RAF1 then further activates the dual-specificity protein kinases MAP2K1/MEK1 and MAP2K2/MEK2.


Research Area

Signal Transduction

Image Data



Western blot analysis of MEK1/2 in K562, C6, 3T3, Hela lysates using MEK1/2 antibody.




Immunocytochemistry analysis of MEK1/2(green) in Hela using MEK1/2 antibody, and DAPI(blue)

Product Name: MEK1/2 Rabbit Monoclonal antibody

Catalog #: AMRe03784





Immunohistochemistry analysis of paraffin-embedded Human colon cancer using MEK1/2 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.