

**Product Name: CXCL11 (13J17) Rabbit Monoclonal Antibody**  
**Catalog #: AMRe09558**

---

## Summary

<b>Production Name</b>	CXCL11 (13J17) Rabbit Monoclonal Antibody
<b>Description</b>	Rabbit Monoclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,IP
<b>Reactivity</b>	Human

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Monoclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type
<b>Buffer</b>	preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	CXCL11
<b>Alternative Names</b>	betaR; CXC11; CXCL11; H174; I TAC; IP9; ITAC; SCYB11; SCYB9B;
<b>Gene ID</b>	6373.0
<b>SwissProt ID</b>	O14625.

## Application

<b>Dilution Ratio</b>	WB 1:1000, IP 1:20-1:50
<b>Molecular Weight</b>	10kDa

**Product Name: CXCL11 (13J17) Rabbit Monoclonal Antibody**  
**Catalog #: AMRe09558**

---




## Background

Chemotactic for interleukin-activated T-cells but not unstimulated T-cells, neutrophils or monocytes. Induces calcium release in activated T-cells. Binds to CXCR3. May play an important role in CNS diseases which involve T-cell recruitment. May play a role in skin immune responses. Chemotactic for interleukin-activated T-cells but not unstimulated T-cells, neutrophils or monocytes. Induces calcium release in activated T-cells. Binds to CXCR3. May play an important role in CNS diseases which involve T-cell recruitment. May play a role in skin immune responses.

## Research Area

## Image Data



Western blot analysis of CXCL11 expression in THP1 cell lysate.

## Note

For research use only.