

Product Name: PI3-Kinase p85 α Rabbit Monoclonal Antibody
Catalog #: AMRe21617

Summary

Production Name	PI3-Kinase p85 α Rabbit Monoclonal Antibody
Description	Rabbit Monoclonal Antibody
Host	Rabbit
Application	WB,IHC,IF,IP,ELISA
Reactivity	Human,Mouse,Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG,Kappa
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Purification	Protein A

Immunogen

Gene Name	PIK3R1 PIK3R1;GRB1;Phosphatidylinositol 3-kinase regulatory subunit alpha;PI3-kinase regulatory subunit alpha;PI3K regulatory subunit alpha;PtdIns-3-kinase regulatory subunit alpha;Phosphatidylinositol 3-kinase 85 kDa regulatory subunit alpha;PI3-kinase subunit p85-alpha;PtdIns-3-kinase regulatory subunit p85-alpha
Alternative Names	
Gene ID	5295.0
SwissProt ID	P27986.

Application

Dilution Ratio	IHC 1:200-1000;WB 1:1000-5000;IF 1:200-1000;ELISA 1:5000-20000;IP 1:50-200
Molecular Weight	Calculated MW:84kD;Observed MW:84kD

Product Name: PI3-Kinase p85 α Rabbit Monoclonal Antibody
Catalog #: AMRe21617




Background


Cell localization: nucleus, cytoplasm, cis-Golgi network, cytosol, plasma membrane, cell-cell junction, phosphatidylinositol 3-kinase complex, phosphatidylinositol 3-kinase complex, class IA, membrane, perinuclear endoplasmic reticulum membrane. Phosphatidylinositol 3-kinase phosphorylates the inositol ring of phosphatidylinositol at the 3-prime position. The enzyme comprises a 110 kD catalytic subunit and a regulatory subunit of either 85, 55, or 50 kD. This gene encodes the 85 kD regulatory subunit. Phosphatidylinositol 3-kinase plays an important role in the metabolic actions of insulin, and a mutation in this gene has been associated with insulin resistance. Alternative splicing of this gene results in four transcript variants encoding different isoforms. [provided by RefSeq, Jun 2011],

Research Area

Image Data



Western blot analysis of lysates from HepG2 cells, using PI3-Kinase p85 α Rabbit mAb. The HRP-conjugated Goat anti-Rabbit IgG antibody was used to detect the antibody.



Product Name: PI3-Kinase p85 α Rabbit Monoclonal Antibody
Catalog #: AMRe21617



Immunohistochemical analysis of paraffin-embedded Human placenta tissue. 1, primary Antibody was diluted at 1:200(4°C,overnight). 2, EDTA pH 9.0 was used for antibody retrieval(>98°C,20min). 3,Secondary antibody was diluted at 1:200(room temperature, 30min).

Note

For research use only.