## **Product Name: ABCD4 Rabbit Polyclonal Antibody**

Catalog #: APRab06418



#### **Summary**

Production Name ABCD4 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA

**Reactivity** Human, Mouse

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Gene Name ABCD4

ABCD4; PXMP1L; ATP-binding cassette sub-family D member 4; PMP70-related

Alternative Names protein; P70R; Peroxisomal membrane protein 1-like; PXMP1-L; Peroxisomal

membrane protein 69; PMP69

Gene ID 5826.0

O14678.The antiserum was produced against synthesized peptide derived from human SwissProt ID

ABCD4. AA range:111-160

#### **Application**

**Dilution Ratio** WB 1:500-1:2000, IHC-P 1:100-1:300, ELISA 1:10000, IF-P/IF-F/ICC/IF 1:50-200

Molecular Weight 70kDa

## **Product Name: ABCD4 Rabbit Polyclonal Antibody**

Catalog #: APRab06418




#### **Background**

The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the ALD subfamily, which is involved in peroxisomal import of fatty acids and/or fatty acyl-CoAs in the organelle. All known peroxisomal ABC transporters are half transporters which require a partner half transporter molecule to form a functional homodimeric or heterodimeric transporter. The function of this peroxisomal membrane protein is unknown. However, it is speculated that it may function as a heterodimer for another peroxisomal ABC transporter and, therefore, may modify the adrenoleukodystrophy phenotype. It may also play a role in the process of peroxisimilarity:Belongs to the ABC transporter family. ALD subfamily, similarity:Contains 1 ABC transmembrane type-1 domain, similarity:Contains 1 ABC transporter domain, subunit:Homodimer or heterodimer , tissue specificity:Ubiquitous.,


#### Research Area

ABC transporters;

### **Image Data**




Western blot analysis of the lysates from HeLa cells using ABCD4 antibody.



Western Blot analysis of various cells using ABCD4 Polyclonal Antibody diluted at 1: 500

# Product Name: ABCD4 Rabbit Polyclonal Antibody Catalog #: APRab06418





Western Blot analysis of HepG2 cells using ABCD4 Polyclonal Antibody diluted at 1: 500

#### Note

For research use only.