

### Summary

Production Name	APBA2BP Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA
Reactivity	Human, Mouse

#### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at $4^{\circ}$ C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

### Immunogen

Gene Name	NECAB3
Alternative Names	NECAB3; APBA2BP; NIP1; SYTIP2; XB51; N-terminal EF-hand calcium-binding protein 3;
	Amyloid beta A4 protein-binding family A member 2-binding protein; Nek2-interacting
	protein 1; Neuronal calcium-binding protein 3; X11L-binding protein 51
Gene ID	63941.0
SwissProt ID	Q96P71.The antiserum was produced against synthesized peptide derived from human
	NECAB3. AA range:321-370

## Application

Dilution Ratio	WB 1:500-1:2000, IHC-P 1:100-1:300, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:40000.Not
	yet tested in other applications.

# Product Name: APBA2BP Rabbit Polyclonal Antibody Catalog #: APRab06991




Molecular Weight 44kDa

### Background

The protein encoded by this gene interacts with the amino-terminal domain of the neuron-specific X11-like protein (X11L), inhibits the association of X11L with amyloid precursor protein through a non-competitive mechanism, and abolishes the suppression of beta-amyloid production by X11L. This protein, together with X11L, may play an important role in the regulatory system of amyloid precursor protein metabolism and beta-amyloid generation. The protein is phosphorylated by NIMA-related expressed kinase 2, and localizes to the Golgi apparatus. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],alternative products:Additional isoforms seem to exist. Experimental confirmation may be lacking for some isoforms,function:Inhibits the interaction of APBA2 with beta-amyloid precursor protein (APP), and hence allows formation of beta-amyloid.,PTM:Phosphorylated by NEK2.,similarity:Contains 1 ABM domain.,similarity:Contains 1 EF-hand domain.,subunit:Interacts with the N-terminal domain of APBA2. Interacts with NEK2.,tissue specificity:Strongly expressed in heart and skeletal muscle, moderately in brain and pancreas.,


#### **Research Area**

#### **Image Data**




Immunofluorescence analysis of A549 cells, using NECAB3 Antibody. The picture on the right is blocked with the synthesized peptide.


# Product Name: APBA2BP Rabbit Polyclonal Antibody Catalog #: APRab06991



Ci EnkiLife

Western blot analysis of lysates from HepG2, COLO, and HT-29 cells, using NECAB3 Antibody. The lane on the right is





Western Blot analysis of various cells using APBA2BP Polyclonal Antibody

#### Note

For research use only.