## **Product Name: ATF-5 Rabbit Polyclonal Antibody**

Catalog #: APRab07277



#### **Summary**

**Production Name** ATF-5 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA

**Reactivity** Human, Mouse, Rat

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** lgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Storage

Gene Name ATF5

ATF5; ATFX; Cyclic AMP-dependent transcription factor ATF-5; cAMP-dependent Alternative Names

transcription factor ATF-5; Activating transcription factor 5; Transcription factor ATFx

**Gene ID** 22809.0

Q9Y2D1.The antiserum was produced against synthesized peptide derived from human

ATF5. AA range:221-270

### **Application**

SwissProt ID

**Dilution Ratio** WB 1:500-1:2000, IHC-P 1:100-1:300, ELISA 1:5000, IF-P/IF-F/ICC/IF 1:50-200

Molecular Weight 31kDa

## **Product Name: ATF-5 Rabbit Polyclonal Antibody**

Catalog #: APRab07277




#### **Background**


function:Transcriptional activator which binds the cAMP response element (CRE) (consensus: 5'-GTGACGT[AC][AG]-3'), a sequence present in many viral and cellular promoters and blocks the differentiation of neuroprogenitor cells into neurons. Its transcriptional activity is enhanced by CCND3 and slightly inhibited by CDK4.,similarity:Belongs to the bZIP family.,similarity:Contains 1 bZIP domain.,subunit:Binds DNA as a dimer. Interacts with PTP4A1/PRL-1 (By similarity). Interacts with CCND3, but not with CCND1 or CCND2.,function:Transcriptional activator which binds the cAMP response element (CRE) (consensus: 5'-GTGACGT[AC][AG]-3'), a sequence present in many viral and cellular promoters and blocks the differentiation of neuroprogenitor cells into neurons. Its transcriptional activity is enhanced by CCND3 and slightly inhibited by CDK4.,similarity:Belongs to the bZIP family.,similarity:Contains 1 bZIP domain.,subunit:Binds DNA as a dimer. Interacts with PTP4A1/PRL-1 (By similarity). Interacts with CCND3, but not with CCND1 or CCND2.,

#### **Research Area**

#### **Image Data**



Western blot analysis of lysates from Jurkat cells, using ATF5 Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using ATF-5 Polyclonal Antibody diluted at 1: 1000

# **Product Name: ATF-5 Rabbit Polyclonal Antibody**

Catalog #: APRab07277



#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838