

Summary

Production Name	C-TAK1 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA
Reactivity	Human, Mouse, Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storogo	Store at 4° C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
Storage	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	MARK3
Alternative Names	MARK3; CTAK1; EMK2; MAP/microtubule affinity-regulating kinase 3; C-TAK1; cTAK1;
	Cdc25C-associated protein kinase 1; ELKL motif kinase 2; EMK-2; Protein kinase STK10;
	Ser/Thr protein kinase PAR-1; Par-1a; Serine/threonine-protein kinase p78
Gene ID	4140.0
SwissProt ID	P27448.The antiserum was produced against synthesized peptide derived from human
	MARK3. AA range:1-50

Application

Dilution Ratio	WB 1:500-1:2000, IHC-P 1:100-1:300, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:40000.Not
	yet tested in other applications.

Product Name: C-TAK1 Rabbit Polyclonal Antibody Catalog #: APRab09488




Molecular Weight 85kDa

Background


microtubule affinity regulating kinase 3(MARK3) Homo sapiens The protein encoded by this gene is activated by phosphorylation and in turn is involved in the phosphorylation of tau proteins MAP2 and MAP4. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2011],catalytic activity:ATP + a protein = ADP + a phosphoprotein.,function:Involved in the specific phosphorylation of microtubule-associated proteins for tau, MAP2 and MAP4. Phosphorylates CDC25C on 'Ser-216'.,similarity:Belongs to the protein kinase superfamily. CAMK Ser/Thr protein kinase family. MARK subfamily.,similarity:Contains 1 KA1 (kinase-associated) domain.,similarity:Contains 1 protein kinase domain.,similarity:Contains 1 UBA domain.,tissue specificity:Ubiquitous.,

Research Area

Image Data




Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using MARK3 Antibody. The picture on the right is blocked with the synthesized peptide.





Western blot analysis of lysates from HeLa and 293 cells, using MARK3 Antibody. The lane on the right is blocked with the synthesized peptide.

Product Name: C-TAK1 Rabbit Polyclonal Antibody Catalog #: APRab09488










Western Blot analysis of various cells using C-TAK1 Polyclonal Antibody diluted at 1: 500



Western Blot analysis of 293 cells using C-TAK1 Polyclonal Antibody diluted at 1: 500

Note

For research use only.