

**Product Name: DGK- $\beta$  Rabbit Polyclonal Antibody**  
**Catalog #: APRab09947**



## Summary

<b>Production Name</b>	DGK- $\beta$ Rabbit Polyclonal Antibody
<b>Description</b>	Rabbit Polyclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,ELISA
<b>Reactivity</b>	Human,Mouse,Rat

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	DGKB
<b>Alternative Names</b>	DGKB; DAGK2; KIAA0718; Diacylglycerol kinase beta; DAG kinase beta; 90 kDa diacylglycerol kinase; Diglyceride kinase beta; DGK-beta
<b>Gene ID</b>	1607.0
<b>SwissProt ID</b>	Q9Y6T7.The antiserum was produced against synthesized peptide derived from human DGKB. AA range:657-706

## Application

<b>Dilution Ratio</b>	WB 1:500-1:2000, ELISA 1:40000.Not yet tested in other applications.
<b>Molecular Weight</b>	90kDa

**Product Name: DGK-β Rabbit Polyclonal Antibody**  
**Catalog #: APRab09947**




## Background

Diacylglycerol kinases (DGKs) are regulators of the intracellular concentration of the second messenger diacylglycerol (DAG) and thus play a key role in cellular processes. Nine mammalian isotypes have been identified, which are encoded by separate genes. Mammalian DGK isozymes contain a conserved catalytic (kinase) domain and a cysteine-rich domain (CRD). The protein encoded by this gene is a diacylglycerol kinase, beta isotype. Two alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2008],catalytic activity:ATP + 1,2-diacylglycerol = ADP + 1,2-diacyl-sn-glycerol 3-phosphate.,enzyme regulation:Stimulated by phosphatidylserine.,function:Exhibits high phosphorylation activity for long-chain diacylglycerols.,similarity:Belongs to the eukaryotic diacylglycerol kinase family.,similarity:Contains 1 DAGKc domain.,similarity:Contains 2 EF-hand domains.,similarity:Contains 2 phorbol-ester/DAG-type zinc fingers.,


## Research Area

Glycerolipid metabolism;Glycerophospholipid metabolism;Phosphatidylinositol signaling system;

## Image Data



Western blot analysis of the lysates from HUVEC cells using DGKB antibody.



Western Blot analysis of HuvEC cells using DGK-β Polyclonal Antibody

## Note

For research use only.

**Product Name: DGK- $\beta$  Rabbit Polyclonal Antibody**  
**Catalog #: APRab09947**

---

