Product Name: EDG-7 Rabbit Polyclonal Antibody

Catalog #: APRab10303



Summary

Production Name EDG-7 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit

Application WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA

Reactivity Human, Rat, Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name LPAR3

LPAR3; EDG7; LPA3; Lysophosphatidic acid receptor 3; LPA receptor 3; LPA-3; Alternative Names

Lysophosphatidic acid receptor Edg-7

Gene ID 23566.0

Q9UBY5.The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

EDG7. AA range:281-330

Application

WB 1:500-1:2000, IHC-P 1:100-1:300, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:40000.Not

Dilution Ratio

yet tested in other applications.

Molecular Weight 47kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: EDG-7 Rabbit Polyclonal Antibody

Catalog #: APRab10303




Background

lysophosphatidic acid receptor 3(LPAR3) Homo sapiens This gene encodes a member of the G protein-coupled receptor family, as well as the EDG family of proteins. This protein functions as a cellular receptor for lysophosphatidic acid and mediates lysophosphatidic acid-evoked calcium mobilization. This receptor couples predominantly to G(q/11) alpha proteins. [provided by RefSeq, Jul 2008],function:Receptor for lysophosphatidic acid (LPA), a mediator of diverse cellular activities. May play a role in the development of ovarian cancer. Seems to be coupled to the G(i)/G(o) and G(q) families of heteromeric G proteins.,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Most abundantly expressed in prostate, testes, pancreas, and heart, with moderate levels in lung and ovary. No detectable expression in brain, placenta, liver, skeletal muscle, kidney, spleen, thymus, small intestine, colon, or peripheral blood leukocytes.,


Research Area

Neuroactive ligand-receptor interaction;

Image Data



Immunofluorescence analysis of A549 cells, using EDG7 Antibody. The picture on the right is blocked with the synthesized




Western blot analysis of lysates from Jurkat cells, using EDG7 Antibody. The lane on the right is blocked with the synthesized peptide.


Product Name: EDG-7 Rabbit Polyclonal Antibody

Catalog #: APRab10303






Western blot analysis of the lysates from 293 cells using EDG7 antibody.



Western Blot analysis of various cells using EDG-7 Polyclonal Antibody



Western Blot analysis of 3T3 cells using EDG-7 Polyclonal Antibody

Note

For research use only.