Product Name: eIF1AY Rabbit Polyclonal Antibody Catalog #: APRab10363



Summary

Production Name eIF1AY Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit

Application IHC-P,IF-P,IF-F,ICC/IF,ELISA

Reactivity Human, Mouse, Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Storage

Gene Name EIF1AY

EIF1AY; Eukaryotic translation initiation factor 1A; Y-chromosomal; eIF-1A Y isoform; Alternative Names

Eukaryotic translation initiation factor 4C; eIF-4C

Gene ID 9086.0

O14602.The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

EIF1AY. AA range:21-70

Application

Dilution Ratio IHC-P 1:100-1:300, ELISA 1:40000, IF-P/IF-F/ICC/IF 1:50-200

Molecular Weight

Product Name: eIF1AY Rabbit Polyclonal Antibody Catalog #: APRab10363




Background


This gene is located on the non-recombining region of the Y chromosome. It encodes a protein related to eukaryotic translation initiation factor 1A (EIF1A), which may function in stabilizing the binding of the initiator Met-tRNA to 40S ribosomal subunits. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013],function:Seems to be required for maximal rate of protein biosynthesis. Enhances ribosome dissociation into subunits and stabilizes the binding of the initiator Met-tRNA(I) to 40 S ribosomal subunits.,similarity:Belongs to the eIF-1A family.,similarity:Contains 1 S1-like domain.,tissue specificity:Ubiquitous.,

Research Area

Image Data



Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using EIF1AY Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100 (4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: eIF1AY Rabbit Polyclonal Antibody Catalog #: APRab10363



	_	1	_
\mathbf{r}		т	Δ
17	ıv	u	C

For research use only.