## **Product Name: IGFBP6 Rabbit Polyclonal Antibody**

Catalog #: APRab12431



#### **Summary**

Production Name IGFBP6 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

**Reactivity** Human, Rat, Mouse

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Storage

Gene Name IGFBP6

IGFBP6; IBP6; Insulin-like growth factor-binding protein 6; IBP-6; IGF-binding protein 6; Alternative Names

IGFBP-6

**Gene ID** 3489.0

P24592.The antiserum was produced against synthesized peptide derived from the **SwissProt ID** 

Internal region of human IGFBP6. AA range:101-150

### **Application**

**Dilution Ratio** WB 1:500-1:2000, ELISA 1:20000.Not yet tested in other applications.

Molecular Weight 25kDa

# **Product Name: IGFBP6 Rabbit Polyclonal Antibody**

Catalog #: APRab12431




#### **Background**


function:IGF-binding proteins prolong the half-life of the IGFs and have been shown to either inhibit or stimulate the growth promoting effects of the IGFs on cell culture. They alter the interaction of IGFs with their cell surface receptors.,PTM:O-linked glycans consist of hexose (probably Gal), N-acetylhexosamine (probably GalNAc) and sialic acid residues. Major glycoforms consist of 8-16 monosaccharides (by homology to IGFBP6 expressed recombinantly in CHO cells),,similarity:Contains 1 IGFBP N-terminal domain.,similarity:Contains 1 thyroglobulin type-1 domain.,function:IGF-binding proteins prolong the half-life of the IGFs and have been shown to either inhibit or stimulate the growth promoting effects of the IGFs on cell culture. They alter the interaction of IGFs with their cell surface receptors.,PTM:O-linked glycans consist of hexose (probably Gal), N-acetylhexosamine (probably GalNAc) and sialic acid residues. Major glycoforms consist of 8-16 monosaccharides (by homology to IGFBP6 expressed recombinantly in CHO cells),,similarity:Contains 1 IGFBP N-terminal domain.,similarity:Contains 1 thyroglobulin type-1 domain.,

#### Research Area

#### **Image Data**



Western blot analysis of lysate from K562 cells, using IGFBP6 Antibody.



Western Blot analysis of K562 cells using IGFBP6 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000

# **Product Name: IGFBP6 Rabbit Polyclonal Antibody**

Catalog #: APRab12431



#### Note

For research use only.