Catalog #: APRab13546



Summary

mAChR M5 Rabbit Polyclonal Antibody **Production Name**

Description Rabbit Polyclonal Antibody

Host Rabbit

Application WB,IF-P,IF-F,ICC/IF,ELISA

Reactivity Human, Rat, Mouse

Performance

Conjugation Unconjugated Modification Unmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name CHRM5

Alternative Names CHRM5; Muscarinic acetylcholine receptor M5

Gene ID 1133.0

P08912. The antiserum was produced against synthesized peptide derived from human

CHRM5. AA range:281-330

Application

WB 1:500-1:2000, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:40000.Not yet tested in other

Dilution Ratio

SwissProt ID

applications.

Molecular Weight 60kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




Background

The muscarinic cholinergic receptors belong to a larger family of G protein-coupled receptors. The functional diversity of these receptors is defined by the binding of acetylcholine and includes cellular responses such as adenylate cyclase inhibition, phosphoinositide degeneration, and potassium channel mediation. Muscarinic receptors influence many effects of acetylcholine in the central and peripheral nervous system. The clinical implications of this receptor are unknown; however, stimulation of this receptor is known to increase cyclic AMP levels. [provided by RefSeq, Jul 2008],function:The muscarinic acetylcholine receptor mediates various cellular responses, including inhibition of adenylate cyclase, breakdown of phosphoinositides and modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.,similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area

Calcium; Neuroactive ligand-receptor interaction; Regulates Actin and Cytoskeleton;

Image Data



Immunofluorescence analysis of A549 cells, using CHRM5 Antibody. The picture on the right is blocked with the synthesized




Western blot analysis of lysates from LOVO and RAW264.7 cells, using CHRM5 Antibody. The lane on the right is blocked with the synthesized peptide.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838







Western blot analysis of the lysates from K562 cells using CHRM5 antibody.



Western Blot analysis of Jurkat cells using mAChR M5 Polyclonal Antibody

Note

For research use only.