

**Product Name: MDFI Rabbit Polyclonal Antibody**  
**Catalog #: APRab13748**



## Summary

<b>Production Name</b>	MDFI Rabbit Polyclonal Antibody
<b>Description</b>	Rabbit Polyclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,ELISA
<b>Reactivity</b>	Human,Mouse

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	MDFI
<b>Alternative Names</b>	MDFI; MyoD family inhibitor; Myogenic repressor I-mf
<b>Gene ID</b>	4188.0
<b>SwissProt ID</b>	Q99750.The antiserum was produced against synthesized peptide derived from human MDFI. AA range:103-152

## Application

<b>Dilution Ratio</b>	WB 1:500-1:2000, ELISA 1:10000.Not yet tested in other applications.
<b>Molecular Weight</b>	25kDa

## Background


**Product Name: MDFI Rabbit Polyclonal Antibody**  
**Catalog #: APRab13748**



This protein is a transcription factor that negatively regulates other myogenic family proteins. Studies of the mouse homolog, I-mf, show that it interferes with myogenic factor function by masking nuclear localization signals and preventing DNA binding. Knockout mouse studies show defects in the formation of vertebrae and ribs that also involve cartilage formation in these structures. [provided by RefSeq, Jul 2008],function:Inhibits the transactivation activity of the Myod family of myogenic factors and represses myogenesis. Acts by associating with Myod family members and retaining them in the cytoplasm by masking their nuclear localization signals. Can also interfere with the DNA-binding activity of Myod family members. Plays an important role in trophoblast and chondrogenic differentiation. Regulates the transcriptional activity of TCF7L1/TCF3 by interacting directly with TCF7L1/TCF3 and preventing it from binding DNA. Binds to the axin complex, resulting in an increase in the level of free beta-catenin. Affects axin regulation of the WNT and JNK signaling pathways.,similarity:Belongs to the MDFI family.,subunit:The C-terminus interacts with AXIN1 and LEF1.,

## Research Area

## Image Data



Western blot analysis of lysates from Jurkat cells, using MDFI Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using MDFI Polyclonal Antibody

**Product Name: MDFI Rabbit Polyclonal Antibody**  
**Catalog #: APRab13748**

---



**Note**

For research use only.