

Summary

Olfactory receptor 1N1 Rabbit Polyclonal Antibody
Rabbit Polyclonal Antibody
Rabbit
IF-P,IF-F,ICC/IF,ELISA
Human, Rat, Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	OR1N1
Alternative Names	OR1N1; OR1N3; Olfactory receptor 1N1; Olfactory receptor 1-26; OR1-26; Olfactory
	receptor 1N3; Olfactory receptor OR9-22
Gene ID	138883.0
SwissProt ID	Q8NGS0. The antiserum was produced against synthesized peptide derived from
	human OR1N1. AA range:231-280

Application

Dilution Ratio	IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:10000.Not yet tested in other applications.
Molecular Weight	


Background

olfactory receptor family 1 subfamily N member 1(OR1N1) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,

Research Area

Olfactory transduction;

Image Data



Immunofluorescence analysis of HUVEC cells, using OR1N1 Antibody. The picture on the right is blocked with the synthesized peptide.

Note

For research use only.