

# Summary

Olfactory receptor 4F4 Rabbit Polyclonal Antibody
Rabbit Polyclonal Antibody
Rabbit
WB,IF-P,IF-F,ICC/IF,ELISA
Human, Rat, Mouse

# Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

# Immunogen

Gene Name	OR4F4
Alternative Names	OR4F4; Olfactory receptor 4F4; HS14a-1-A; Olfactory receptor OR19-3
Gene ID	26682.0
SwissProt ID	Q96R69.The antiserum was produced against synthesized peptide derived from human
	OR4F4. AA range:256-305

# Application

Dilution Ratio	WB 1:500-1:2000, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:20000.Not yet tested in other
	applications.
Molecular Weight	30kDa

### Background

olfactory receptor family 4 subfamily F member 4(OR4F4) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,


# **Research Area**

Olfactory transduction;


# Image Data



Immunofluorescence analysis of A549 cells, using OR4F4 Antibody. The picture on the right is blocked with the synthesized



Western blot analysis of lysates from HeLa cells, using OR4F4 Antibody. The lane on the right is blocked with the synthesized



Western blot analysis of the lysates from HeLa cells using OR4F4 antibody.

#### Note

For research use only.