

Catalog #: APRab15292



Summary

Olfactory receptor 5K3 Rabbit Polyclonal Antibody **Production Name**

Description Rabbit Polyclonal Antibody

Rabbit Host

Application WB,IF-P,IF-F,ICC/IF,ELISA

Reactivity Human, Rat, Mouse

Performance

Conjugation Unconjugated Modification Unmodified

IgG Isotype

Clonality Polyclonal **Form** Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name OR5K3

Alternative Names OR5K3; Olfactory receptor 5K3

Gene ID 403277.0

A6NET4. The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

OR5K3. AA range:232-281

Application

WB 1:500-1:2000, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:5000.Not yet tested in other

Dilution Ratio

applications.

Molecular Weight 37kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Catalog #: APRab15292




Background


olfactory receptor family 5 subfamily K member 3(OR5K3) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function: Odorant receptor ., similarity: Belongs to the G-protein coupled receptor 1 family.,

Research Area

Image Data



Western blot analysis of lysates from K562 cells, using OR5K3 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using OR5K3 antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Catalog #: APRab15292

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838