

Product Name: PRIC285 Rabbit Polyclonal Antibody
Catalog #: AP Rab16493



Summary

Production Name	PRIC285 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,ELISA,IHC-P
Reactivity	Human,Rat,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	PRIC285 PRIC285; KIAA1769; Peroxisomal proliferator-activated receptor A-interacting complex
Alternative Names	285 kDa protein; ATP-dependent helicase PRIC285; PPAR-alpha-interacting complex protein 285; PPAR-gamma DNA-binding domain-interacting protein 1; PDIP1; PP
Gene ID	85441.0
SwissProt ID	Q9BYK8.The antiserum was produced against synthesized peptide derived from human PRIC285. AA range:1909-1958

Application


Dilution Ratio	WB 1:500-2000, IHC-P 1:50-300, ELISA 2000-20000
Molecular Weight	300kDa

Background


The protein encoded by this gene is a nuclear transcriptional co-activator for peroxisome proliferator activated receptor alpha. The encoded protein contains a zinc finger and is a helicase that appears to be part of the peroxisome proliferator activated receptor alpha interacting complex. This gene is a member of the DNA2/NAM7 helicase gene family. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],caution:PubMed:12189208 experiments have been carried out partly in rat and partly in human.,domain:Contains 5 Leu-Xaa-Xaa-Leu-Leu (LXXLL) motifs. These motifs are not required for interaction with PPARG.,function:Helicase that acts as a transcriptional coactivator for a number of nuclear receptors including PPARG, THRA, THRB and RXRA.,similarity:Belongs to the DNA2/NAM7 helicase family.,similarity:Contains 1 C2H2-type zinc finger.,subunit:Interacts with PPARG, ESR1, THRB and RXRA. It is probably part of the peroxisome proliferator activated receptor alpha interacting complex (PRIC). Also interacts with the DNA-binding domain of PPARG.,tissue specificity:Expressed in various tissues including heart, pancreas, skeletal muscle, colon, spleen, liver, kidney, lung, peripheral blood and placenta.,

Research Area

Image Data



Western blot analysis of PRIC285 Antibody. The lane on the right is blocked with the PRIC285 peptide.



Product Name: PRIC285 Rabbit Polyclonal Antibody
Catalog #: APRab16493



Western blot analysis of the lysates from HT-29 cells using PRIC285 antibody.

Note

For research use only.