

Product Name: Topo III β -1 Rabbit Polyclonal Antibody
Catalog #: APRab19128



Summary

Production Name	Topo III β -1 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA
Reactivity	Human,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	TOP3B
Alternative Names	TOP3B; TOP3B1; DNA topoisomerase 3-beta-1; DNA topoisomerase III beta-1
Gene ID	8940.0
SwissProt ID	O95985.The antiserum was produced against synthesized peptide derived from human TOP3B. AA range:51-100

Application

Dilution Ratio	WB 1:500-1:2000, IHC-P 1:100-1:300, ELISA 1:20000, IF-P/IF-F/ICC/IF 1:50-200
Molecular Weight	96kDa

Background

Product Name: Topo III β -1 Rabbit Polyclonal Antibody
Catalog #: APRab19128




This gene encodes a DNA topoisomerase, an enzyme that controls and alters the topologic states of DNA during transcription. This enzyme catalyzes the transient breaking and rejoining of a single strand of DNA which allows the strands to pass through one another, thus relaxing the supercoils and altering the topology of DNA. The enzyme interacts with DNA helicase SGS1 and plays a role in DNA recombination, cellular aging and maintenance of genome stability. Low expression of this gene may be related to higher survival rates in breast cancer patients. This gene has a pseudogene on chromosome 22. Alternate splicing results in multiple transcript variants. Additional alternatively spliced transcript variants of this gene have been described, but their full-length nature is not known. [provided by RefSeq, Aug 2013], catalytic activity: ATP-independent breakage of single-stranded DNA, followed by passage and rejoining., function: Possesses negatively supercoiled DNA relaxing activity., similarity: Belongs to the prokaryotic type I/III topoisomerase family., tissue specificity: Isoform 1 is found in testis, heart and skeletal muscle. A 4 kb transcript which probably represents isoform 2 is found in thymus, kidney and pancreas.,


Research Area

Homologous recombination;

Image Data



Western blot analysis of lysates from HepG2, COLO205, and HUVEC cells, using TOP3B Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using Topo III β -1 Polyclonal Antibody. Secondary antibody was diluted at 1:20000 cells

Product Name: Topo III β -1 Rabbit Polyclonal Antibody
Catalog #: APRab19128



nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA) .

Note

For research use only.