Antibody

Catalog #: AMM03341



Summary

Production Name MAP2 (3B5) Mouse Monoclonal Antibody

Description Mouse monoclonal Antibody

Host Mouse

Application IHC,ICC/IF

Reactivity Human, Mouse, Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG1

Clonality Monoclonal

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% sodium

azide, pH 7.3.

Purification Affinity Purification

Immunogen

Gene Name MAP2

Alternative Names Microtubule associated protein 2; MAP2A; MAP2B; MAP2C

 Gene ID
 4133

 SwissProt ID
 P11137.

Application

Dilution Ratio IHC 1:50-1:100,ICC/IF 1:50-1:200

Molecular Weight -

Antibody

Catalog #: AMM03341




Background

The exact function of MAP2 is unknown but MAPs may stabilize the microtubules against depolymerization. They also seem to have a stiffening effect on microtubules.


Research Area

Neuroscience

Image Data



Immunohistochemistry analysis of paraffin-embedded Human Tonsil tissue using MAP2 (3B5) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.




Immunohistochemical analysis of paraffin-embedded Human tonsils using MAP2 (3B5) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838


Antibody

Catalog #: AMM03341






Immunohistochemistry analysis of paraffin-embedded mouse brain tissue using MAP2 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunofluorescence analysis of MAP2 (3B5) in mouse brain tissue using MAP2 (3B5) antibody(7D4)(red), and DAPI (blue).




Immunofluorescence analysis of MAP2 in rat brain using MAP2 antibody(7D4)(red), and DAPI (blue).

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Antibody

Catalog #: AMM03341





Immunohistochemistry analysis of paraffin-embedded Human brain tissue using MAP2 (3B5) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838