

Product Name: BRG1 (6D7) Mouse Monoclonal Antibody**Catalog #: AMM03523**

For research use only.

Summary

Description	Mouse monoclonal Antibody
Host	Mouse
Application	WB,ICC/IF,IP
Reactivity	Human,Mouse
Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG1
Clonality	Monoclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% sodium azide, pH 7.3.
Purification	Affinity Purification

Application

Dilution Ratio	WB 1:500-1:1000,ICC/IF 1:50-1:200,IP 1:20-1:50
Molecular Weight	Calculated MW: 185 kDa; Observed MW: 220 kDa

Antigen Information

Gene Name	SMARCA4
Alternative Names	SMARCA4; BAF190A; BRG1; SNF2B; SNF2L4; Transcription activator BRG1; ATP-dependent helicase SMARCA4; BRG1-associated factor 190A; BAF190A; Mitotic growth and transcription activator; Protein BRG-1; Protein brahma homolog 1; SNF2-beta; SWI/S
Gene ID	6597
SwissProt ID	P51532
Immunogen	A synthetic peptide of human BRG1


Background

ATP-dependent chromatin remodeling complexes play an essential role in the regulation of various nuclear processes, such as gene expression, DNA replication, and repair. Acts as a corepressor of ZEB1 to regulate E-cadherin transcription and is required for induction of epithelial-mesenchymal transition (EMT) by ZEB1.


Research Area

Neuroscience


Image Data



Western blot analysis of BRG1 in HeLa NE, F9 and K562 lysates using BRG1 antibody.



Immunofluorescence analysis of BRG1 (6D7) in HeLa using BRG1 antibody, and DAPI (blue).



Immunoprecipitation analysis of BRG1 (6D7) in K562 lysates using BRG1 antibody.