
Product Name: NANOG Mouse Monoclonal Antibody**Catalog #: AMM80700**

For research use only.

Summary

Description	Mouse monoclonal Antibody
Host	Mouse
Application	WB,ICC,ELISA
Reactivity	Human
Conjugation	Unconjugated
Modification	Unmodified
Isotype	Mouse IgG1
Clonality	Monoclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	Purified antibody in PBS with 0.05% sodium azide.
Purification	Affinity Purification

Application

Dilution Ratio	WB 1:500-1:2000,ICC 1:200-1:1000,ELISA 1:5000-1:20000
Molecular Weight	35kDa

Antigen Information

Gene Name	NANOG
Alternative Names	NANOG
Gene ID	79923.0
SwissProt ID	Q9H9S0
Immunogen	Purified recombinant fragment of NANOG (aa20-166) expressed in E. Coli.


Background

NANOG: Nanog homeobox. Entrez Protein NP_079141. Nanog is a divergent homeodomain protein that directs pluripotency and differentiation of undifferentiated embryonic stem cells. Nanog mRNA is present in pluripotent mouse and human cell lines, and absent from differentiated cells. Human Nanog protein shares 52% overall amino acid identity with the mouse


protein and 85% identity in the homeodomain. Human Nanog maps to gene locus 12p13.31, whereas mouse Nanog maps to gene loci 6 F2. Murine embryonic Nanog expression is detected in the inner cell mass of the blastocyst. High levels of human Nanog expression were detected by Northern analysis in the undifferentiated N-Tera embryonal carcinoma cell line.

Research Area

Image Data



Western blot analysis using NANOG mouse mAb against NTERA-2 cell lysate (2).



Confocal Immunofluorescence analysis of NTERA-2 cells (left) and HeLa cells (right) using Nanog mouse mAb (green). Red: Actin filaments have been labeled with DY-554 phalloidin.