

## Summary

<b>Production Name</b>	FOXD3 Mouse Monoclonal Antibody
<b>Description</b>	Mouse Monoclonal Antibody
<b>Host</b>	Mouse
<b>Application</b>	WB,ELISA
<b>Reactivity</b>	Human,Mouse,Monkey

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	Mouse IgG1
<b>Clonality</b>	Monoclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Purified antibody in PBS with 0.05% sodium azide.
<b>Purification</b>	Affinity Purification

## Immunogen

<b>Gene Name</b>	FOXD3
<b>Alternative Names</b>	AIS1; HFH2; Genesis; FOXD3
<b>Gene ID</b>	27022.0
<b>SwissProt ID</b>	Q9UJU5. Purified recombinant fragment of human FOXD3 expressed in E. Coli.

## Application

<b>Dilution Ratio</b>	WB:1:500-1:2000,ELISA:1:10000
<b>Molecular Weight</b>	48kDa

## Background

FoxD3 is a member of the Forkhead Box family and is characterized by a winged-helix DNA-binding structure and the important role it plays in embryonic development . This transcriptional regulator is required for the maintenance of


**Product Name: FOXD3 Mouse Monoclonal Antibody**  
**Catalog #: AMM80915**



pluripotency in the pre-implantation and peri-implantation stages of mouse embryonic development and is also required for trophoblast formation . FoxD3 is required for the maintenance of the mammalian neural crest; FoxD3(-/-) mouse embryos fail around the time of implantation with loss of neural crest-derived structures . FoxD3 also forms a regulatory network with Oct-4 and NANOG to maintain the pluripotency of ES cells .Promotes development of neural crest cells from neural tube progenitors. Restricts neural progenitor cells to the neural crest lineage while suppressing interneuron differentiation. Required for maintenance of pluripotent cells in the pre-implantation and peri-implantation stages of embryogenesis .Tissue specificity: Expressed in chronic myeloid leukemia, Jurkat T-cell leukemia and teratocarcinoma cell lines, but not in any other cell lines or normal tissues examined .

## Research Area

## Image Data



Western blot analysis using FOXD3 mouse mAb against NTERA-1 (1)HHUVE-12 (2), HEK293 (3), Hela (4), Jurkat (5), NIH/3T3 (6), K562 (7), RAW264.7 (8) and COS7 (9) cell lysate.

## Note

For research use only.