
Product Name: CDK9 Mouse Monoclonal Antibody**Catalog #: AMM80986**

For research use only.

Summary

Description	Mouse monoclonal Antibody
Host	Mouse
Application	IHC,ELISA
Reactivity	Human,Mouse,Rat,Rabbit,Monkey
Conjugation	Unconjugated
Modification	Unmodified
Isotype	Mouse IgG1
Clonality	Monoclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	PBS containing 0.03% sodium azide.
Purification	Affinity Purification

Application

Dilution Ratio	IHC 1:200-1:1000,ELISA 1:5000-1:20000
Molecular Weight	43kDa

Antigen Information

Gene Name	CDK9
Alternative Names	TAK; C-2k; CTK1; CDC2L4; PITALRE
Gene ID	1025.0
SwissProt ID	P50750
Immunogen	Purified recombinant fragment of human CDK9 expressed in E. Coli.


Background

The protein encoded by this gene is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members are highly similar to the gene products of *S. cerevisiae* *cdc28*, and *S. pombe* *cdc2*, and known as important cell cycle regulators. This kinase was found to be a component of the multiprotein complex TAK/P-TEFb, which is an elongation factor for RNA


polymerase II-directed transcription and functions by phosphorylating the C-terminal domain of the largest subunit of RNA polymerase II. This protein forms a complex with and is regulated by its regulatory subunit cyclin T or cyclin K. HIV-1 Tat protein was found to interact with this protein and cyclin T, which suggested a possible involvement of this protein in AIDS. (provided by RefSeq) Tissue specificity: Ubiquitous.

Research Area


Image Data




Red: Control Antigen (100ng); Purple: Antigen (10ng); Green: Antigen (50ng); Blue: Antigen (100ng);




Immunohistochemical analysis of paraffin-embedded human rectum cancer tissues (left) and placenta tissues (right) using CDK9 mouse mAb with DAB staining.




Immunohistochemical analysis of paraffin-embedded human brain tissues (left) and esophageal cancer tissues (right) using CDK9 mouse mAb with DAB staining.




Immunohistochemical analysis of paraffin-embedded Mouse kidney using CDK9 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded Rat kidney using CDK9 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded Rabbit kidney using CDK9 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded Rabbit testis using CDK9 mouse mAb with DAB staining.