

## **Product Name: CA9 Mouse Monoclonal Antibody**

Catalog #: AMM81257

For research use only.

## **Summary**

**Description** Mouse monoclonal Antibody

**Host** Mouse

**Application** WB,ELISA,FC

**Reactivity** Human

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG1ClonalityMonoclonalFormLiquid

Concentration Liquid

**Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

## **Application**

**Dilution Ratio** WB 1:500-1:2000,ELISA 1:5000-1:20000,FC 1:200-1:400

Molecular Weight 49.7kDa

# **Antigen Information**

Gene Name CA9

Alternative Names MN; CAIX
Gene ID 768.0
SwissProt ID 016790

**Immunogen** Purified recombinant fragment of human CA9 (AA: 37-186) expressed in E. Coli.

#### **Background**


Carbonic anhydrases (CAs) are a large family of zinc metalloenzymes that catalyze the reversible hydration of carbon dioxide. They participate in a variety of biological processes, including respiration, calcification, acid-base balance, bone resorption, and the formation of aqueous humor, cerebrospinal fluid, saliva, and gastric acid. They show extensive diversity in tissue




distribution and in their subcellular localization. CA IX is a transmembrane protein and the only tumor-associated carbonic anhydrase isoenzyme known. It is expressed in all clear-cell renal cell carcinoma, but is not detected in normal kidney or most other normal tissues. It may be involved in cell proliferation and transformation. This gene was mapped to 17q21.2 by fluorescence in situ hybridization, however, radiation hybrid mapping localized it to 9p13-p12.

#### **Research Area**


# **Image Data**



Black line: Control Antigen (100 ng); Purple line: Antigen(10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng);



Western blot analysis using CA9 mouse mAb against A431 (1) and SW620 (2) cell lysate.



Flow cytometric analysis of NTERA-2 cells using CA9 mouse mAb (green) and negative control (red).