

# **Product Name: PLCG2 Mouse Monoclonal Antibody**

Catalog #: AMM81412

For research use only.

## **Summary**

**Description** Mouse monoclonal Antibody

1mg/ml

Host Mouse

**Application** WB,ICC,ELISA,FC

**Reactivity** Human

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG2bClonalityMonoclonalFormLiquid

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** Purified antibody in PBS with 0.05% sodium azide.

**Purification** Affinity Purification

## **Application**

Concentration

Dilution Ratio WB 1:500-1:2000,ICC 1:200-1:1000,ELISA 1:5000-1:20000,FC 1:200-1:400

Molecular Weight 148kDa

## **Antigen Information**

Gene Name PLCG2

Alternative Names FCAS3; APLAID; PLC-IV; PLC-gamma-2

 Gene ID
 5336.0

 SwissProt ID
 P16885

Synthesized peptide of human PLCG2 (AA: phospho-Tyrosine 753 of human Phospholipase Immunogen

Cg2(cERDINSLpYDVSRMYV)).

# **Background**

The protein encoded by this gene is a transmembrane signaling enzyme that catalyzes the conversion of 1-phosphatidyl-1D-myo-inositol 4,5-bisphosphate to 1D-myo-inositol 1,4,5-trisphosphate (IP3) and diacylglycerol (DAG) using calcium as a


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




cofactor. IP3 and DAG are second messenger molecules important for transmitting signals from growth factor receptors and immune system receptors across the cell membrane. Mutations in this gene have been found in autoinflammation, antibody deficiency, and immune dysregulation syndrome and familial cold autoinflammatory syndrome 3.

#### **Research Area**


### **Image Data**



Black line: Control Antigen (100 ng); Purple line: Antigen(10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng);




Western blot analysis using PLCG2 mouse mAb against A431 cell lysate.



Immunofluorescence analysis of Hela cells using PLCG2 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Flow cytometric analysis of Hela cells using PLCG2 mouse mAb (green) and negative control (red).