

### **Product Name: HIST2H4A(20Me3) Mouse Monoclonal Antibody**

Catalog #: AMM81567

For research use only.

## **Summary**

**Description** Mouse monoclonal Antibody

HostMouseApplicationELISA,FCReactivityHuman

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG1ClonalityMonoclonalFormLiquid

Concentration 1mg/ml

**Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

# **Application**

**Dilution Ratio** ELISA 1:5000-1:20000,FC 1:200-1:400

Molecular Weight 11.4kDa

# **Antigen Information**

Gene Name HIST2H4A(20Me3)

Alternative Names H4; H4/n; H4F2; H4FN; FO108; HIST2H4

 Gene ID
 8370.0

 SwissProt ID
 P62805

Immunogen Synthesized peptide of human HIST2H4A (AA: GGAKRHRK(Me3)VLRDNIQ) .

# **Background**


Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker




histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H4 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in a histone cluster on chromosome 1. This gene is one of four histone genes in the cluster that are duplicated; this record represents the centromeric copy.

#### **Research Area**

# **Image Data**



Black line: Control Antigen (100 ng); Purple line: Antigen(10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng);



Flow cytometric analysis of Raji cells using HIST2H4A(20Me3) mouse mAb (green) and negative control (red).