

#### **Product Name: CD202B Mouse Monoclonal Antibody**

Catalog #: AMM82135

For research use only.

#### **Summary**

**Description** Mouse monoclonal Antibody

HostMouseApplicationELISA,FCReactivityHuman

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG2bClonalityMonoclonalFormLiquid

Concentration 1mg/ml

**Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

# **Application**

**Dilution Ratio** ELISA 1:5000-1:20000,FC 1:200-1:400

Molecular Weight 125.8kDa,

# **Antigen Information**

Gene Name CD202B

Alternative Names TEK; TIE2; VMCM; GLC3E; TIE-2; VMCM1

 Gene ID
 7010.0

 SwissProt ID
 Q02763

**Immunogen** Purified recombinant fragment of human CD202B (AA: extra 571-748) expressed in E. Coli.

# **Background**

This gene encodes a receptor that belongs to the protein tyrosine kinase Tie2 family. The encoded protein possesses a unique extracellular region that contains two immunoglobulin-like domains, three epidermal growth factor (EGF)-like domains and three fibronectin type III repeats. The ligand angiopoietin-1 binds to this receptor and mediates a signaling pathway that




functions in embryonic vascular development. Mutations in this gene are associated with inherited venous malformations of the skin and mucous membranes. Alternative splicing results in multiple transcript variants. Additional alternatively spliced transcript variants of this gene have been described, but their full-length nature is not known.


#### **Research Area**

PI3K-Akt signaling pathway, Hippo signaling pathway

# **Image Data**



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)



Flow cytometric analysis of HL-60 cells using CD202B mouse mAb (green) and negative control (red).