
Product Name: PCK2 Mouse Monoclonal Antibody**Catalog #: AMM82290**

For research use only.

Summary

Description	Mouse monoclonal Antibody
Host	Mouse
Application	WB,IHC,ELISA,FC
Reactivity	Human
Conjugation	Unconjugated
Modification	Unmodified
Isotype	Mouse IgG1
Clonality	Monoclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	Purified antibody in PBS with 0.05% sodium azide
Purification	Affinity Purification

Application

Dilution Ratio	WB 1:500-1:2000,IHC 1:200-1:1000,ELISA 1:5000-1:20000,FC 1:200-1:400
Molecular Weight	70.7kDa

Antigen Information

Gene Name	PCK2
Alternative Names	PEPCK; PEPCK2; PEPCK-M
Gene ID	5106.0
SwissProt ID	Q16822
Immunogen	Purified recombinant fragment of human PCK2 (AA: 44-175) expressed in E. Coli.


Background

This gene encodes a mitochondrial enzyme that catalyzes the conversion of oxaloacetate to phosphoenolpyruvate in the presence of guanosine triphosphate (GTP). A cytosolic form of this protein is encoded by a different gene and is the key enzyme of gluconeogenesis in the liver. Alternatively spliced transcript variants have been described. [provided by RefSeq, Apr 2014]


Research Area

PI3K-Akt signaling pathway


Image Data




Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Western blot analysis using PCK2 mouse mAb against Jurkat (1), HeLa (2), HEK293 (3), and HL-60 (4) cell lysate.



Flow cytometric analysis of HeLa cells using PCK2 mouse mAb (green) and negative control (red).



Immunohistochemical analysis of paraffin-embedded human bladder cancer tissues using PCK2 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded human rectum cancer tissues using PCK2 mouse mAb with DAB staining.