

### **Product Name: ACTA2 Mouse Monoclonal Antibody**

Catalog #: AMM82430

For research use only.

#### **Summary**

**Description** Mouse monoclonal Antibody

**Host** Mouse

**Application** WB,IHC,ELISA,FC **Reactivity** Human, Mouse, Rat

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG1ClonalityMonoclonalFormLiquid

Form Liquid
Concentration 1mg/ml

**Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

# **Application**

**Dilution Ratio** WB 1:500-1:2000,IHC 1:200-1:1000,ELISA 1:5000-1:20000,FC 1:200-1:400

Molecular Weight 42kDa

# **Antigen Information**

Gene Name ACTA2

**Alternative Names** ACTSA;α-Smooth Muscle Actin;Alpha-actin-2;Alpha actin 2

**Gene ID** 59.0 **SwissProt ID** P62736

**Immunogen** Purified recombinant fragment of human ACTA2 (AA: 2-124) expressed in E. Coli.

## **Background**


This gene encodes one of six different actin proteins. Actins are highly conserved proteins that are involved in cell motility, structure, integrity, and intercellular signaling. The encoded protein is a smooth muscle actin that is involved in vascular contractility and blood pressure homeostasis. Mutations in this gene cause a variety of vascular diseases, such as thoracic aortic




disease, coronary artery disease, stroke, and Moyamoya disease, as well as multisystemic smooth muscle dysfunction syndrome.

### **Research Area**


# **Image Data**



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Western blot analysis using ACTA2 mouse mAb against EC (1), HUVE-12 (2), A549 (3), NIH/3T3 (4), HL-60 (5), Hela (6), and K652 (7) cell lysate.




Flow cytometric analysis of Hela cells using ACTA2 mouse mAb (green) and negative control (red).





Immunohistochemical analysis of paraffin-embedded human bladder cancer tissues using ACTA2 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded human stomach cancer tissues using ACTA2 mouse mAb with DAB staining.