## Product Name: ALK/p80 Mouse Monoclonal Antibody

Catalog #: AMM82642



### **Summary**

Production Name ALK/p80 Mouse Monoclonal Antibody

**Description** Mouse Monoclonal Antibody

**Host** Mouse

**Application** WB,FC,ELISA

Reactivity Human

### **Performance**

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG1ClonalityMonoclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

### **Immunogen**

Storage

Gene Name ALK/p80

Alternative Names CD246; NBLST3

**Gene ID** 238.0

Q9UM73.Purified recombinant fragment of human ALK/p80 (AA: 1359-1460) expressed

in E. Coli.

### **Application**

**SwissProt ID** 

**Dilution Ratio** WB:1:500-1:2000,FC:1:200-1:400,ELISA:1:10000

Molecular Weight 176.4kDa

### **Background**


# Product Name: ALK/p80 Mouse Monoclonal Antibody Catalog #: AMM82642




This gene encodes a receptor tyrosine kinase, which belongs to the insulin receptor superfamily. This protein comprises an extracellular domain, an hydrophobic stretch corresponding to a single pass transmembrane region, and an intracellular kinase domain. It plays an important role in the development of the brain and exerts its effects on specific neurons in the nervous system. This gene has been found to be rearranged, mutated, or amplified in a series of tumours including anaplastic large cell lymphomas, neuroblastoma, and non-small cell lung cancer. The chromosomal rearrangements are the most common genetic alterations in this gene, which result in creation of multiple fusion genes in tumourigenesis, including ALK (chromosome 2)/EML4 (chromosome 2), ALK/RANBP2 (chromosome 2), ALK/ATIC (chromosome 2), ALK/TFG (chromosome 3), ALK/NPM1 (chromosome 5), ALK/SQSTM1 (chromosome 5), ALK/KIF5B (chromosome 10), ALK/CLTC (chromosome 17), ALK/TPM4 (chromosome 19), and ALK/MSN (chromosome X).

### Research Area

### **Image Data**




Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)



Western blot analysis using ALK/p80 mouse mAb against SK-N-SH (1) cell lysate.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Flow cytometric analysis of K562 cells using ALK/p80 mouse mAb (green) and negative control (red).

### Note

For research use only.