## **Product Name: M6PR Mouse Monoclonal Antibody**

**Catalog #: AMM82761** 



### **Summary**

**Production Name** M6PR Mouse Monoclonal Antibody

**Description** Mouse Monoclonal Antibody

**Host** Mouse

**Application** WB,IHC,FC,ELISA **Reactivity** Human, Mouse

### **Performance**

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG2bClonalityMonoclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

### **Immunogen**

Storage

Gene Name M6PR

Alternative Names SMPR; MPR46; CD-MPR; MPR 46; MPR-46; CD-M6PR

**Gene ID** 4074.0

P20645.Purified recombinant fragment of human M6PR (AA: 124-277) expressed in E.

Coli.

## **Application**

**SwissProt ID** 

**Dilution Ratio** WB:1:500-1:2000,IHC:1:200-1:1000,FC:1:200-1:400,ELISA:1:10000

Molecular Weight 30.9kDa

## **Background**

## **Product Name: M6PR Mouse Monoclonal Antibody**


Catalog #: AMM82761




This gene encodes a member of the P-type lectin family. P-type lectins play a critical role in lysosome function through the specific transport of mannose-6-phosphate-containing acid hydrolases from the Golgi complex to lysosomes. The encoded protein functions as a homodimer and requires divalent cations for ligand binding. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. A pseudogene of this gene is located on the long arm of chromosome X.

#### Research Area

### **Image Data**



Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Western blot analysis using M6PR mouse mAb against mouse brain (1) and HepG2 (2) cell lysate.


# **Product Name: M6PR Mouse Monoclonal Antibody**

Catalog #: AMM82761





Flow cytometric analysis of Jurkat cells using M6PR mouse mAb (green) and negative control (red).



Immunohistochemical analysis of paraffin-embedded human brain tissues using M6PR mouse mAb with DAB staining.

#### Note

For research use only.